



microtractor  
microtracteur  
micro tractor

ROTOCULTIVADOR SERIE LIGERA  
 ROTOCULTEVEUR  
 ROTARY TILLER



REF. AJR85



Ref.	بجيب	RPM			
AJR85	85 cm	210	16	18 hp	152 kg
AJR105	105 cm	210	20	22 hp	160 kg
AJR125	125 cm	210	28	25-30 hp	192 kg



Boulon de rupture / Protection bolt

ROTOCULTIVADOR PRO  
 ROTOCULTEVEUR PRO  
 ROTARY TILLER PRO



REF. AJRP150



Ref.	بجيب	RPM			
AJRP120	120 cm	210	24	25-30 hp	210 kg
AJRP140	140 cm	210	28	30-35 hp	235 kg
AJRP150	150 cm	210	32	35-40 hp	250 kg
AJRP1506	150 cm	210	32	35-40 hp	255 kg



Boulon de rupture / Protection bolt  
 Embrague / Embrayage / Clutch

# » hoja niveladora lame niveleuse leveling blade

## HOJA NIVELADORA LAME NIVELEUSE LEVELLING BLADE



Ref.	مقياس	مقياس	مقياس	مقياس
AJLN150	1500 cm	45x1500 cm	15-20	68 kg

## NIVELADORA-PRO LAME NIVELEUSE-PRO LEVELING BLADE-PRO



\* foto con laterales  
\* photo avec lateral  
\* photo with lateral



Ref.	مقياس	مقياس	مقياس	مقياس	
MECÁNICA / MÉCANIQUE / MECHANICAL					
				COLOR	 

HNGID100	100 cm	45x100 cm	15-20	110 kg
HNGID130	130 cm	45x130 cm	20-25	120 kg
HNGID150	150 cm	45x150 cm	25-30	130 kg
MGID160	160 cm	45x160 cm	30-50	270 kg
MGID180	180 cm	45x180 cm	50-60	290 kg
MGID200	200 cm	45x200 cm	60-70	350 kg

⊙ Rueda control metálica / Roue controle metallique  
\*Laterales / lateral

HIDRÁULICA / HYDRAULIQUE / HYDRAULIC					
				COLOR	 

HGID160	160 cm	45x160 cm	30-50	280 kg
HGID180	180 cm	45x180 cm	50-60	300 kg
HGID200	200 cm	45x200 cm	60-70	360 kg

⊙ Rueda control metálica / Roue controle metallique  
\*Laterales / lateral

RANSOME



REF. C5FT 20x20R + JRC

VIBRO



REF. C7FT 30x10R + JRC

EXTENSIBLE / RÉGLABLE / EXTENDIBLE



REF. C7GRTR + JRCE

Ref.		#20		
C5FT20X20R	100 cm	5	15-25	75 kg
C7FT20X20R	130 cm	7	25-35	85 kg
C9FT20X20R	160 cm	9	30-45	90 kg
C7FT25X25R	150 cm	7 #25	30-50	140 kg

Opción

JRC Juego de ruedas de control metálicas / Paire de roues métalliques / Set of metal control wheels

Ref.				
C7FT30X10R	100 cm	7	15-25	70 kg
C9FT30X10R	120 cm	9	25-35	85 kg

Opción

JRC Juego de ruedas de control metálicas / Paire de roues métalliques / Set of metal control wheels

Ref.		x 7		
C7GRTR	45 a 125	30*20	15-30	72 kg

Ref.		x 8		
C8GSTR	60 a 145	30*10	15-30	80 kg

Opción

JRCE Juego de ruedas de control metálicas / Paire de roues métalliques / Set of metal control wheels

monosurco manual-pro  
 charrue reversible-pro monosoc  
 180 turn plough-pro



bisurco hidráulica  
 charrue hydraulique 2 corps  
 hydraulic turn plough 2 forrows




Ref.				OPTION	
AGT00R	9"	15/25	70 kg	RCP	PR1/2T
AGT0ER	9"	15-25	75 kg	RCP	JRP
AGT0R	10"	25-35	120 kg	RCG	JRG
AGT1R	12"	35-50	140 kg	RCG	JRG





Ref.				OPTION	
B9H	9"	20-30	125 kg	RCB	JRB
B10H	10"	30-40	150 kg	RCB	JRB
B12H	12"	40-55	170 kg	RCB	JRB

» subsulador y gradas de disco  
 sous-soleuse - herse à disques  
 subsoiler - disc harrow

» rulos  
 rouleau  
 roller


**SUBSULADOR PROFESSIONAL  
 SOUS-SOLEUSE PRO  
 SUBSOILER PRO**




 COLOR  

Ref.				
STP1		1	70-80	65 Kg.
STP2	65 cm	2	80-100	75 Kg.
STP3	85 cm	3	90-115	85 Kg.



**RULO CON RASTRILLO  
 ROULEAU AVEC HERSE  
 ROLLER WITH HARROW**

 COLOR  

Ref.		Ø		
RR140	140 cm	324	25-40	230 kg.








**V SERIES**

 COLOR  


OPTION




REF. NP1V14D18

Ref.			 Support Axe			RAPL <input type="checkbox"/>	RAPB <input type="checkbox"/>
NP1V8D18	100 cm	8 D 18" 20cm	4 axe 30	15-25	220 kg	Ø219	
NP1V10D18	120 cm	10 D 18" 20 cm	4 axe 30	20-30	240 kg	Ø219	
NP1V12D18	140 cm	12 D 18" 20 cm	4 axe 30	25-35	260 kg	Ø219	
NP1V14D18	160 cm	14 D 18" 20cm	4 axe 30	30-40	280 kg	Ø219	
NP1V16D18	180 cm	16 D 18" 20cm	4 axe 30	40-50	300 kg	Ø219	



**RULO APLANADOR  
 ROULEAU LISSE  
 ROLLER**

 COLOR  

Ref.		Ø		
RA120	120 cm	324	25-40	180 kg.



# »»» acolchadora de plástico derouleuses de plastique plastic sheet layer

ACOLCHADORA DE PLÁSTICO  
DEROULEUSES DE PLASTIQUE  
PLASTIC FILM LAYING MACHINE






OPCIÓN PORTA MANGUERA  
OPTION DÉVIDOIR DE GAINE GOUTTE À GOUTTE  
DRIP HOSE REEL




OPCIÓN MARCADOR  
OPTION PERFORATEUR  
MARKING MACHINE





COLOR  

Ref.			
MC90	90 cm	micro tractor	15-30
MC120	120 cm	micro tractor	15-30
MC125	125 cm	tractor	35-50
MC140	140 cm	tractor	35-70
MC180	180 cm	tractor	35-70



Ref.	Unid.	
MCPM1	1	35 Kg.
MCPM2	2	45 Kg.



Ref.		Unid.	
MCMR	45 cm. distancia entre agujeros distance entre trou	2	60 Kg.

»»» barras porta aperos  
cadre porte outil  
toolholder bar



Ref. CP01



Ref. CP03

Ref.		Support		
CP01	75 cm	1	15-45	32 kg
CP02	170 cm	2	15-45	60 kg
CP03	170 cm	3	15-45	65 kg

»»» cajón basculante manual  
benne portée  
transport box



Ref.			
CAMSL1202	120 cm	manual	15-25 82 kg

ASURCADOR / BUTTEUR / RIDGER



Ref.				Adaptador necesario Adaptateur / Adapter
AE4TR	50 cm	15-45	12 kg	CP01 / CP02 / CP03

KIT REJA CULTIVADOR / CULTIVATEUR / CULTIVATOR



Ref.				Adaptador necesario Adaptateur / Adapter
KRSCPO	170 cm	15-45	24 kg	CP03

\* kit de 3 soportes para ref. CP03  
\* Kit 3 supports pour ref. CP03

REJA ARRANCAPATATAS  
ARRACHE POMMES DE TERRE  
POTATO LIFTER



Ref.			Adaptador necesario Adaptateur / Adapter
APTR	15-45	11 kg	CP01 / CP02 / CP03



Ctra Ullastret s/nº • E 17133 SERRA DE DARÓ (Girona) SPAIN  
Tel. 0034-972 758 863 / Fax 0034- 972 760 176 • [ribas@ribas.biz](mailto:ribas@ribas.biz)



[www.ribas.biz](http://www.ribas.biz)